UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/540,174	05/02/2006	Piers Catton	CATTON, P.ET AL -1 1164 PCT	
25889 COLLARD & I	7590 11/29/2010 ROE, P.C.		EXAMINER	
1077 NORTHE	RN BOULEVARD		KAMEN, NOAH P	
ROSLYN, NY 11576			ART UNIT	PAPER NUMBER
			3783	
			MAIL DATE	DELIVERY MODE
			11/29/2010	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)				
Office Action Summers	10/540,174	CATTON ET AL.				
Office Action Summary	Examiner	Art Unit				
	Noah Kamen	3783				
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply						
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).						
Status						
1) Responsive to communication(s) filed on 08 No	ovember 2010					
· <u> </u>	·					
<i>,</i>	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is					
•	closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.					
closed in accordance with the practice under Lx parte Quayle, 1933 C.D. 11, 403 C.G. 213.						
Disposition of Claims						
4)⊠ Claim(s) <u>1-4,6-13 and 15-21</u> is/are pending in the application.						
4a) Of the above claim(s) is/are withdraw	4a) Of the above claim(s) is/are withdrawn from consideration.					
5) Claim(s) is/are allowed.						
6)⊠ Claim(s) <u>1-4,6-13 and 15-21</u> is/are rejected.						
7) Claim(s) is/are objected to.	·_ · · · ·					
•						
Application Papers						
9) The specification is objected to by the Examiner.						
10) ☐ The drawing(s) filed on is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.						
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).						
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).						
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.						
Priority under 35 U.S.C. § 119						
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 						
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date	4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal P 6) Other:	te				

DETAILED ACTION

Claim Rejections - 35 USC § 112

The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

Claims 1-4, 6-13, and 15-21 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention. The claims could benefit from editorial polishing, i.e. see claim 2, line 4. The use of "in particular" is vague. In claim 17, line 1, change "1" to - -9- -. In claim 19, there is no antecedent basis for "the ring gasket".

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claims 1, 6-9, 13, and 16-18 are rejected under 35 U.S.C. 103(a) as being unpatentable over Ogi (4261947) in view of Jones et al (20020148427A). Ogi disclose joining two plastic separately molded members together by injecting a thermoplastic material such as polyethylene (col. 1, lines 47-54). The hollow plastic article is useful in vehicles such as air cleaners (col.1, lines 19-32). The result is a rigid and integrally connected article (abstract). Jones et al are merely cited as an example that vehicle intake manifolds can be made by assembling plastic parts. Therefore, it would have been obvious to one of ordinary skill in the art to do likewise in Ogi for the advantages found therein.

Claims 2, 10, and 19 are rejected under 35 U.S.C. 103(a) as being unpatentable over Ogi in view of Jones et al as applied to claims 1 and 9 above, and further in view of JP 20001145552. JP'552 disclose using bellows 8, 11 in an intake manifold 1 to help prevent damage from back firing; therefore, to include same in Ogi would have been obvious to one of ordinary skill in the art.

Response to Arguments

Applicant's arguments with respect to the claims have been considered but are moot in view of the new ground(s) of rejection.

Allowable Subject Matter

Claims 3, 4, 11, and 12 would be allowable if rewritten to overcome the rejection(s) under 35 U.S.C. 112, 2nd paragraph, set forth in this Office action and to include all of the limitations of the base claim and any intervening claims.

Claims 15, 20, and 21 would be allowable if rewritten or amended to overcome the rejection(s) under 35 U.S.C. 112, 2nd paragraph, set forth in this Office action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Noah Kamen whose telephone number is 571 272 4845. The examiner can normally be reached on M-Th 6:30-5:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Michael Cuff can be reached on 571 272 6778. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/540,174 Page 4

Art Unit: 3783

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Noah Kamen Primary Examiner Art Unit 3783

/Noah Kamen/ Primary Examiner, Art Unit 3783